

## 英文論文 – 2020年

No	論文名	著者名	雑誌名	発行年及び掲載頁	その他
1	Do tone duration changes that elicit the mismatch negativity also affect the preceding middle latency responses?	Osakabe Y, Shiga T, Hoshino H, Kanno K, Wada T, Ochiai H, Itagaki S, Miura I, Yabe H.	Eur J Neurosci.	2020 Jan 1.	doi: 10.1111/ejn.14668.
2	<a href="#">Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake.</a>	Sakai A, Nakano H, Ohira T, Maeda M, Okazaki K, Takahashi A, Kawasaki Y, Satoh H, Ohtsuru A, Shimabukuro M, Kazama J, Hashimoto S, Hosoya M, Yasumura S, Yabe H, Ohto H, Kamiya K	Medicine (Baltimore).	2020 Jan;99(1):e18486.	doi: 10.1097/MD.000000000018486.
3	<a href="#">Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011-2015.</a>	Ma E, Ohira T, Sakai A, Yasumura S, Takahashi A, Kazama J, Shimabukuro M, Nakano H, Okazaki K, Maeda M, Yabe H, Suzuki Y, Kamiya K	Nutrients.	2020 Jan 2;12(1).	doi: 10.3390/nu12010129
4	<a href="#">Impaired Frontal Brain Activity in Patients With Heart Failure Assessed by Near-Infrared Spectroscopy.</a>	Ichijo Y, Kono S, Yoshihisa A, Misaka T, Kaneshiro T, Oikawa M, Miura I, Yabe H, Takeishi Y.	J Am Heart Assoc.	2020 Feb 4;9(3):e014564.	doi: 10.1161/JAHA.119.014564.
5	<a href="#">Estimation of frequency difference at which stream segregation precedes temporal integration as reflected by omission mismatch negativity.</a>	Hikita M, Shiga T, Osakabe Y, Mori Y, Hotsumi H, Nozaki M, Hoshino H, Kanno K, Itagaki S, Matsuoka T, Yabe H.	Biol Psychol.	2020 Mar;151:107848.	doi: 10.1016/j.biopsycho.2020.107848.
6	<a href="#">Plasma levels of dopamine metabolite correlate with mismatch negativity in patients with schizophrenia.</a>	Shiga T, Horikoshi S, Kanno K, Kanno-Nozaki K, Hikita M, Itagaki S, Miura I, Yabe H.	Psychiatry Clin Neurosci.	2020 May;74(5):289-293.	doi: 10.1111/pcn.12984.
7	<a href="#">Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey.</a>	Takahashi A, Ohira T, Okazaki K, Yasumura S, Sakai A, Maeda M, Yabe H, Hosoya M, Ohtsuru A, Kawasaki Y, Shimabukuro M, Kazama J, Hashimoto S, Watanabe K, Nakano H, Hayashi F, Ohto H, Kamiya K, Ohira H.	J Atheroscler Thromb.	2020 Jan 31.	doi: 10.5551/jat.52225.
8	<a href="#">The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey.</a>	Zhang W, Ohira T, Maeda M, Nakano H, Iwasa H, Yasumura S, Ohtsuru A, Harigane M, Suzuki Y, Horikoshi N, Takase K, Takahashi A, Yabe H, Kamiya K; Fukushima Health Management Survey Group.	Sleep Med.	2020 Apr;68:63-70.	doi: 10.1016/j.sleep.2019.09.004.

## 英文論文 – 2020年

No	論文名	著者名	雑誌名	発行年及び掲載頁	その他
9	<a href="#">ALDH4A1 expression levels are elevated in postmortem brains of patients with schizophrenia and are associated with genetic variants in enzymes related to proline metabolism.</a>	Nagaoka A, Kunii Y, Hino M, Izumi R, Nagashima C, Takeshima A, Sainouchi M, Nawa H, Kakita A, Yabe H.	J Psychiatr Res.	2020 Apr;123:119-127.	doi: 10.1016/j.jpsychires. 2020.02.001.
10	<a href="#">Does Treatment Response With Antidementia Drugs After 6 Months in Alzheimer's Disease Predict Long-term Treatment Outcome?</a>	Horikoshi S, Kunii Y, Matsumoto J, Gotoh D, Miura I, Yabe H.	J Clin Psychopharmacol	2020 Mar/Apr;40(2):195-197.	doi: 10.1097/JCP.000000 0000001176.
11	<a href="#">Ethnicity-Dependent Effects of Schizophrenia Risk Variants of the OLIG2 Gene on OLIG2 Transcription and White Matter Integrity.</a>	Komatsu H, Takeuchi H, Kikuchi Y, Ono C, Yu Z, Iizuka K, Takano Y, Kakuto Y, Funakoshi S, Ono T, Ito J, Kunii Y, Hino M, Nagaoka A, Iwasaki Y, Yamamori H, Yasuda Y, Fujimoto M, Azechi H, Kudo N, Hashimoto R, Yabe H, Yoshida M, Saito Y, Kakita A, Fuse N, Kawashima R, Taki Y, Tomita H.	Schizophr Bull.	2020 Apr 14.	doi: 10.1093/schbul/sbaa 049.
12	<a href="#">Effects of single green tea ingestion on pharmacokinetics of nadolol in healthy volunteers.</a>	Misaka S, Abe O, Ono T, Ono Y, Ogata H, Miura I, Shikama Y, Fromm MF, Yabe H, Shimomura K.	Br J Clin Pharmacol.	2020 Apr 22.	doi: 10.1111/bcp.14315.
13	<a href="#">Dietary pattern changes in Fukushima residents after the Great East Japan Earthquake: the Fukushima Health Management Survey 2011-2013.</a>	Ma E, Ohira T, Nakano H, Maeda M, Yabe H, Sakai A, Yasumura S, Kamiya K.	Public Health Nutr.	2020 May 15;1-10.	doi: 10.1017/S136898002 0000300.
14	<a href="#">Lifestyle factors associated with prevalent and exacerbated musculoskeletal pain after the Great East Japan Earthquake: a cross-sectional study from the Fukushima Health Management Survey.</a>	Jinnouchi H, Ohira T, Kakihana H, Matsudaira K, Maeda M, Yabe H, Suzuki Y, Harigane M, Iso H, Kawada T, Yasumura S, Kamiya K	BMC Public Health	2020 May 13;20(1):677.	doi: 10.1186/s12889- 020-08764-9.
17	Longitudinal associations of radiation risk perceptions and mental health among non-evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster.	Fukasawa M, Kawakami N, Umeda M, Akiyama T, Horikoshi N, Yasumura S, Yabe H, Suzuki Y, Bromet EJ.	SSM Popul Health.	2019 Nov 29;10:100523.	doi: 10.1016/j.ssmph.201 9.100523.
18	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey.	Takahashi A, Ohira T, Okazaki K, Yasumura S, Sakai A, Maeda M, Yabe H, Hosoya M, Ohtsuru A, Kawasaki Y, Shimabukuro M, Kazama J, Hashimoto S, Watanabe K, Nakano H, Hayashi F, Ohto H, Kamiya K, Ohira H.	J Atheroscler Thromb.	2020 Sep 1;27(9):1010-1018.	doi: 10.5551/jat.52225.

## 英文論文 - 2020年

No	論文名	著者名	雑誌名	発行年及び掲載頁	その他
19	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster.	Fukasawa M, Kawakami N, Umeda M, Akiyama T, Horikoshi N, Yasumura S, Yabe H, Suzuki Y, Bromet EJ.	Soc Sci Med.	2020 Aug;258:113108.	doi: 10.1016/j.socscimed.2020.113108.
20	The Usefulness of Brief Telephonic Intervention After a Nuclear Crisis: Long-Term Community-Based Support for Fukushima Evacuees.	Horikoshi N, Maeda M, Iwasa H, Momoi M, Oikawa Y, Ueda Y, Kashiwazaki Y, Onji M, Harigane M, Yabe H, Yasumura S.	Disaster Med Public Health Prep.	2020 Aug 20:1-9.	doi: 10.1017/dmp.2020.161.
21	Onset and remission of common mental disorders among adults living in temporary housing for three years after the triple disaster in Northeast Japan: comparisons with the general population.	Kawakami N, Fukasawa M, Sakata K, Suzuki R, Tomita H, Nemoto H, Yasumura S, Yabe H, Horikoshi N, Umeda M, Suzuki Y, Shimoda H, Tachimori H, Takeshima T, Bromet EJ.	BMC Public Health.	2020 Aug 20;20(1):1271.	doi: 10.1186/s12889-020-09378-x.
22	Changes in drinking behavior among evacuees after the Fukushima Daiichi Nuclear Power Plant accident:the Fukushima Health Management Survey.	Yagi A, Maeda M, Suzuki Y, Yabe H, Yasumura S, Niwa S, Ohira T, Ohtsuru A, Mashiko H, Harigane M, Nakano H, Abe M; Fukushima Health Survey.	Fukushima J Med Sci.	2020 Dec 10;66(3):133-142.	doi: 10.5387/fms.2019-24.
23	Markedly higher mortality among psychiatric inpatients mandatorily evacuated after the Fukushima Daiichi Nuclear Power Plant accident.	Gotoh D, Kunii Y, Terui T, Hoshino H, Kakamu T, Hidaka T, Fukushima T, Yabe H.	Psychiatry Clin Neurosci.	2021 Jan;75(1):29-30.	doi: 10.1111/pcn.13158.
24	Association between Psychological Factors and Evacuation Status and the Incidence of Cardiovascular Diseases after the Great East Japan Earthquake: A Prospective Study of the Fukushima Health Management Survey.	Sanoh T, Eguchi E, Ohira T, Hayashi F, Maeda M, Yasumura S, Suzuki Y, Yabe H, Takahashi A, Takase K, Harigane M, Hisamatsu T, Ogino K, Kanda H, Kamiya K.	Int J Environ Res Public Health.	2020 Oct 26;17(21):7832.	doi: 10.3390/ijerph17217832.
25	Distrust in government and its relationship with mental health after the Fukushima nuclear power plant accident.	Fukasawa M, Kawakami N, Umeda M, Akiyama T, Horikoshi N, Yasumura S, Yabe H, Suzuki Y, Bromet EJ.	Int J Soc Psychiatry.	2020 Nov 4:20764020968129.	doi: 10.1177/0020764020968129.
26	Antidepressive Effect of Antipsychotics in the Treatment of Schizophrenia: Meta-Regression Analysis of Randomized Placebo-Controlled Trials.	Miura I, Nosaka T, Yabe H, Hagi K.	Int J Neuropsychopharmacol.	2020 Nov 5:pyaa082.	doi: 10.1093/ijnp/pyaa082.

## 英文論文 – 2020年

No	論文名	著者名	雑誌名	発行年及び掲載頁	その他
27	Ethnicity-Dependent Effects of Schizophrenia Risk Variants of the OLIG2 Gene on OLIG2 Transcription and White Matter Integrity.	Komatsu H, Takeuchi H, Kikuchi Y, Ono C, Yu Z, Iizuka K, Takano Y, Kakuto Y, Funakoshi S, Ono T, Ito J, Kunii Y, Hino M, Nagaoka A, Iwasaki Y, Yamamori H, Yasuda Y, Fujimoto M, Azechi H, Kudo N, Hashimoto R, Yabe H, Yoshida M, Saito Y, Kakita A, Fuse N, Kawashima R, Taki Y, Tomita H.	Schizophr Bull.	2020 Dec 1;46(6):1619-1628.	doi: 10.1093/schbul/sbaa049.
28	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey.	Hayashi F, Ohira T, Nakano H, Nagao M, Okazaki K, Harigane M, Yasumura S, Maeda M, Takahashi A, Yabe H, Suzuki Y, Kamiya K; Fukushima Health Management Survey Group.	BMC Geriatr.	2021 Jan 7;21(1):18.	doi: 10.1186/s12877-020-01934-9.
29	Dietary Patterns and Progression of Impaired Kidney Function in Japanese Adults: A Longitudinal Analysis for the Fukushima Health Management Survey, 2011-2015.	Ma E, Ohira T, Yasumura S, Nakano H, Eguchi E, Miyazaki M, Hosoya M, Sakai A, Takahashi A, Ohira H, Kazama J, Shimabukuro M, Yabe H, Maeda M, Ohto H, Kamiya K.	Nutrients.	2021 Jan 7;13(1):168.	doi: 10.3390/nu13010168 .